

PRODUCT DESCRIPTION

Purmelt Cleaner 2 provides the following product characteristics:

Technology	Hot Melt
Product Type	Cleaning agent
Application	Graphic Industry
Appearance	blue

Application Areas

Cleaning Agent for Polyurethane Hotmelts

Product Properties


Purmelt Cleaner 2 is used for cleaning of application equipments, melting systems and such like which are used for polyurethane hotmelt adhesives applications. Purmelt Cleaner 2 convert the reactive components of the poly-urethane hotmelt adhesive, to rule out further crosslinking processes.

Technical Data

Purmelt Cleaner 2:

Viscosity, Brookfield - 130 °C,	5,500 to 7,500
Density, g/cm ³	0.9 to 1.0
Softening Point, Ring & Ball, °C	68 to 76

Temperature/Viscosity Profile:



DIRECTIONS OF USE

Preliminary Statement

Prior to application it is necessary to read the **Material Safety Data Sheet** for information about precautionary measures and safety recommendations. Also, for chemical products exempt from compulsory labeling, the relevant precautions should always be observed. Please also refer to the local safety instructions and contact Henkel for analytical support.

Processing

At application processes with melt pot granulated Purmelt Cleaner 2 is used.

At working with drum melt units Purmelt Cleaner 2 is available in equivalent hobbocs or drums.

Purmelt Cleaner 2 is bluish coloured to facilitate the cleaning process.

Working Temperature:

Commonly Purmelt Cleaner 2 is used with the same application temperature as the polyurethane hotmelt which was applied during the working process (90 to 140) °C.

STORAGE

Rotate stock, using oldest material first. Keep containers upright and closed to prevent contamination. Do not mix with other adhesives. When stored in a dry and cool place in the original unopened containers shelf life is as follows.

Shelf life

Shelf-life (in unopened original packaging), 24 months	
Frost-Sensitive	No

Classification:

Please refer to the corresponding **safety data sheets** for details on:

Hazardous Information

Transport Regulations

Safety Regulations

ADDITIONAL INFORMATION

Disclaimer:

The Information provided herein, especially recommendations for the usage and the application of our products, is based upon our knowledge and experience. Due to different materials used as well as to varying working conditions beyond our control we strictly recommend to carry out intensive trials to test the suitability of our products with regard to the required processes and applications. We do not accept any liability with regard to the above information or with regard to any verbal recommendation, except for cases where we are liable of gross negligence or false intention. This datasheet replaces all former versions.

Reference 0.0

